

Active Ingredient
2-phenethyl propionate
Abamectin
Ag lime
Alfalfa meal
Alkylphenoxy polyethoxy ethanol & IPA
Allyl isothiocyanate from essential oil of mustard & related capsaicinoids (from oleoresin of capsicum)
Ammoniated salts of fatty acids
Ammoniated soap of fatty acids
Ammonium salts of fatty acids
Ammonium soap of higher fatty acids
Arsenic (in enclosed bait form only)
Avermectin
Avermectin B1
Bacillus subtilis
Bacillus thuringiensis
Bacillus thuringiensis K
Bacillus thuringiensis israelensis
Baited trap
Bat guano
Benzyl diethyl (2,6 xylyl Carbamoyl methyl) ammonium saccharide
Blood meal
Bone meal
Borate
Borax
Boric acid
Boric acid bait
Boric acid powder
Bt
Bt israelensis
Calcium
Calcium polysulfides
Canola oil
Capsaicinoids
Capsaicin
Capsaicin and related capsaicinoids
Castor oil
Cedar
Cedar oil
Cinnamon
Cinnamon oil
Citric acid
Clarified hydrophobic extract of neem
Clove oil
Cloves
Cocoa bean hulls
Coconut oil soap

Coconut oil
Composted poultry litter
Cone trap
Copper ammonium complex
Copper barrier
Copper metallic
Copper metallic 8%
Copper octanoate
Coriander
Corn gluten meal
Corn oil
Cottonseed meal
Cottonseed oil
DE
Denatonium saccharide
Diatomaceous Earth
dihydro-5-heptyl-2 (3H) – furanone
dihydro-5-pentyl-2 (3H) – furanone
Disodium octaborate tetrahydrate
d-Limonene
Dolomite lime
Dried blood
Dried poultry litter
Dried poultry waste
Egg white solids
Egg solids
Encapsulated fertilizer
Encapsulated fertilizer slow release
Eugenol
Feather meal
Fipronil (containerized bait or indoor gel only)
Fish solids
Fuller's earth
Gamma lactone
Garlic
Garlic extract
Garlic juice
Garlic oil
Garlic powder
Geraniol
Geranium oil
German cockroach pheromone
Glue trap or board – Are NOT considered less-toxic for small rodents. They can be a potential risk to pets and other non-target animals.
Green sand
Gum resin
Gypsum
Hydramethylnon
Hydramethylnon granules

Hydrophobic extract of neem
Imidacloprid
Iron phosphate
Jobba oil
Kelp
Kelp meal
Laurel sulfate
Lauric acid
Lecithin
Lemon eucalyptus oil
Lemon grass
Lemongrass oil
Light/sticky trap
Liquid kelp
Liquid organic fertilizer
Liquefied organic kelp
Metallic copper 8%
Methoprene
Methyl ammonium saccharide
Mineral oil
Mint
Mint oil
Molasses
Natural polymer
Neem oil
N-ethyl Perfluorooctanesulfonamide (Sulfluramid)
N-ethyl Perfluorooctane sulfonamide
Oleic acid
Organic Fish solids
Organic fertilizer
Organic plant nutrients
Organic slow release fertilizer
Ortho boric acid
Orthoboric acid
Oyster shell lime
Paper mulch
Paraffinic oil
Peach aldehyde
Pelargonic acid
Peppermint oil
Petroleum oil
Petroleum oil – superior paraffinic type
Pheromone(s)
Pheromone attractant
Pheromone bait
Pheromone trap
Picaridin
Polymer
Potassium bicarbonate

Potassium carbonate
Potassium salts of fatty acids
Potassium salts of fatty acid derived from neem
Potassium soap of fatty acids
Potassium sorbate
Protein bait
Protein bait in trap
Putrescent egg solids
Putrescent whole egg solids
Pyrethrin
Pyrethrins
Roisin – Rubber
Rosemary oil
Sesame oil
Slow release encapsulated fertilizer
Slow release fertilizer
Sodium chloride
Sodium laurel sulfate
Sodium lauryl sulphate
Sodium lauryl sulfate
Sodium tetraborate
Sodium tetraborate decahydrate (borax)
Soft rock phosphate (natural mineral)
Sorbitol
Soybean oil
Spaghetti flour
Spinosad
Spinosad - mixture of Spinosyn A and Spinosyn D
Stearic acid
Sticky barrier
Sticky trap
Sucrose
Sulfate of potash magnesia (natural)
Sulfur
Sulpomag
Thyme oil
Thymol
Vege protein lure
Veg wax
Vinegar
Water
White pepper
Whole eggs
Whole pepper
Worm castings
Yeast